



ఆంధ్రప్రదేశ్ రాజ పత్రము
THE ANDHRA PRADESH GAZETTE
PUBLISHED BY AUTHORITY

W.No.37

AMARAVATI, FRIDAY , SEPTEMBER 14, 2018

G.386

**PART I - NOTIFICATIONS BY GOVERNMENT, HEADS OF DEPARTMENTS
AND OTHER OFFICERS**

--X--

NOTIFICATIONS BY GOVERNMENT

**ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY DEPARTMENT
(SECTION.II)**

RESERVATION OF ETHIRAJUPALLI FOREST BLOCK TO AN EXTENT OF 148.76
ACRES OR 60.20 Ha., LAND UNDER SECTION 24 OF THE ANDHRA
PRADESH FOREST ACT, 1967 (ANDHRA PRADESH ACT No.I OF 1967).

**[G.O.Ms.No.95, Environment, Forests, Science & Technology (Section.II),
9th October, 2015.]**

NOTIFICATION

In exercise of the powers conferred by sub – section (1) of section 24 of
A.P Forest Act. 1967 (Act .No.1 of 1967), the Government of Andhra Pradesh
hereby declares the forest land described in the schedule below (delineated in
the map kept in the office of the Chief Conservator of Forests, A.P., Hyderabad)
to be Protected Forest with effect from the date Publication of this notification in
the Andhra Pradesh Gazette.

SCHEDULE

Name of the Forest Division	:	Kadapa
Name of the District	:	Proddatur
Name of the Forest Range	:	Badvel
Name of the Revenue Mandal	:	Badvel
Name of the Village	:	Ethirajupalli
Name of the Block declared to be Protected Forest	:	Ethirajupalli Block
Area of the declared to be protected	:	148.76 Acres (or) 60.20 Ha.

DETAILS OF FIELDS INCLUDED IN THE BLOCK

Sl.No	Name of Village	Sy.No.	Classification land	Total area in Acres	Area included in the block	Remarks
1	Ethirajupalli	492/1	U.A.W	70.14	70.14	Survey No. 492/2
2	Ethirajupalli	492/3	U.A.W	78.62	78.62	Area 1.46 A Has been kept For metal R Passing through Block.
Total				148.76	148.76	

DESCRIPTION OF BOUNDARY

South :- Starting from station No. 1 which is South – East corner of the block and field junction stone connection with 491 and 462 survey Nos. of Ethirajupalle village runs towards South - West direction upto station No. 4 (South – West corner of Block) and boundary of field junction 490 and 493 survey Nos. of Ethirajupalle village in the following Magnetic bearings and distances.

Station		Magnetic Bearings in Degrees	Distance in Mts
From	To		
1	2	255°	139.00
2	3	256° 30'	25.00
3	4	256° 30'	300.00

West:- Starting from station No. 4 (South – West corner of Block) it runs towards North – West direction upto station No. 5 with magnetic bearing of 355° over a distance of 209 Meters Then from station No. 5 it runs towards North – East direction upto station No. 6 with magnetic bearing of 4° 30' over a distance of 194 meters. Then from station No. 6 it runs towards North – West direction upto station No. 7 with magnetic bearing of 356 degrees over a distance of 440 meters. Then from Station No. 7 to 8 it runs North -West direction with magnetic bearing of 313° 30' over a distance of 22 Meters (i.e., Road width of 22Meters). Where it meets Tangedupalle to Badvel – Porumamilla main road and meets field boundary of 487 and 486 survey numbers. Then from station No. 8 it runs towards North – West direction upto Station No. 9 with magnetic bearing of 339° 30' over a distance of 158 Meters Then from station No. 9 it runs towards North – East direction upto station No. 10 with magnetic bearing of 4° 30' over a distance of 240 Meters Then from Station No. 10 to 13 it runs towards North – West direction with the following magnetic bearings and distances. Where it meets station No. 13 which is North – West Corner of the Block and field junction of 479 and 480 survey Nos. of Ethirajupalle. From station No. 13 it runs towards Western direction at a distance of 170 Mts there is a Kandam stone of Prabhalaveedu village boundary and survey No. 479 and 480 field junction. (From station No. 4 towards Western direction there is a Trijunction Kandam stone of Tiruvengalapuram, Thipparajupalle and Ethirajupalle villages in a distance of 230 Meters)

Station		Magnetic Bearings in Degrees	Distance in Mts
From	To		
4	5	355 ⁰	209.00
5	6	4 ⁰ 30 ¹	194.00
6	7	356 ⁰	440.00
7	8	313 ⁰ 30 ¹	22.00
8	9	339 ⁰ 30 ¹	158.00
9	10	4 ⁰ 30 ¹	240.00
10	11	341 ⁰ 30 ¹	231.00
11	12	350 ⁰ 30 ¹	293.00
12	13	350 ⁰ 30 ¹	134.00

North :- Starting from station No. 13 it runs towards North - East direction upto station No. 14 where it meets North - East corner of block and field junction of 475 and 477 survey number of Ethirajupalle village with the following magnetic bearing and distance.

Station		Magnetic Bearings in Degrees	Distance in Mts
From	To		
13	14	66 ⁰ 30 ¹	208.00

East :- Starting from station No. 14 it runs towards Southern - East direction upto station No. 16 with the following magnetic bearings and distances. Then from station 16 it runs towards South upto station No. 17 with magnetic bearing of 180 degree over a distance of 275 Meters. Then from station No. 17 it runs towards south - East direction upto station No. 18 with magnetic bearing of 176 degree over a distance of 50 Meters. Then from station No. 18 it runs towards South - West direction upto station No. 19 with magnetic bearing of 182 degree over a distance of 20 Meters, where it meets road point on Tangedupalle to Badvel - Porumamilla main road. [The area of the road, Thangedupalli to Badvel Porumamilla Road, thus dividing the total area into two bits] was already deleted from the Block area. Then from station No. 19 to 21 it runs towards South - East direction with the following magnetic bearings and distances. Then from station No. 21 it runs towards South - West direction upto station No. 1 with

magnetic bearing of 182° over a distance of 250 Meters which is the South – East Corner of Block.

Station		Magnetic Bearings in Degrees	Distance in Mts
From	To		
14	15	151°	318.00
15	16	155°	350.00
16	17	180°	275.00
17	18	176°	50.00
18	19	182°	20.00
19	20	176°	100.00
20	21	160°	610.00
21	1	182°	250.00

CIRCUIT CLOSED

Remarks:-

- 1) The road (Tangedupalle to Badvel – porumamilla main road) which is passing through station Nos. 7 to 8 & 18 to 19 is to be allowed is right of way for public purpose, which is already deleted from the block in survey No. 492/2 (U.A.W) of Ethirajupalli village with an extent of 1.46 acres.

ASHWINI KUMAR PARIDA,
Special Chief Secretary to Government.

పర్యావరణం, అడవులు, సైన్స్ మరియు టెక్నాలజీ శాఖ

(విభాగము - II)

(జి.ఓ.యమ్.యస్.నెం.95, పర్యావరణం, అడవులు, సైన్స్ మరియు టెక్నాలజీ (విభాగము - II)

తేది: 09-10-2015)

ప్రకటన

**కడప జిల్లా, బద్వేలు మండలము లోని ఏత్తిరాజుపల్లె బ్లాకును
రక్షిత అడవిగా ప్రకటించుట కారకు.**

1967 సం.. ఆంధ్రప్రదేశ్ అటవీ చట్టం (1967లో 1వ చట్టం) లోని 24వ భాగం ద్వారా లభించిన అధికారాలను పురస్కరించుకొని ఆంధ్రప్రదేశ్ గవర్నరు గారు ఈ క్రింది అనుసూచికలో వివరించిన అటవీ భూమిని (ఆంధ్రప్రదేశ్ అటవీ ప్రధాన సంరక్షణఅధికారి కార్యాలయములో వుంచిన మ్యాపులో వర్ణించబడినది) ఈ ప్రకటన ఆంధ్రప్రదేశ్ గెజిట్‌లో ప్రచురించిన తేది నుండి రక్షిత అడవిగా ఇందుమూలముగా ప్రకటించుచున్నారు.

అనుసూచిక

జిల్లా పేరు	:	కడప
డివిజను పేరు	:	ప్రొద్దుటూరు
మండలం పేరు	:	బద్వేలు
రేంజి పేరు	:	బద్వేలు
గ్రామము పేరు	:	ఏత్తిరాజుపల్లె
రిజర్వు అడవిగా ప్రతిపాదించిన బ్లాకు పేరు	:	ఏత్తిరాజుపల్లె
రిజర్వు అడవిగా ప్రతిపాదించిన విస్తీర్ణము	:	148.76 ఎకరములు / 60.20 హెక్టార్లు

రక్షిత అడవిలో చేర్చిన విరియాల (సర్వే నెం.) యొక్క వివరములు

పట్టిక

వరస సంఖ్య	గ్రామము పేరు	సర్వే నెం.	భూమి రకము	మొత్తము విస్తీర్ణము (ఎకరములలో)	బ్లాకులో కలిపిన విస్తీర్ణము (ఎకరములలో)	రిమార్కులు
1	ఏత్తిరాజుపల్లె	492/1	యు.ఎ.డబ్ల్యూ	70.14	70.14	సర్వే నెం. 492/2
2	ఏత్తిరాజుపల్లె	492/3	యు.ఎ.డబ్ల్యూ	78.62	78.62	లోని 1.46 ఎకరాలు రోడ్డు పోయినది.
				148.76	148.76	

పరిహార్లు వివరములు :-

దక్షిణము :- ఈ అడవి యొక్క దక్షిణ - తూర్పు మూల మరియు పొలముల ఖండన రాయికి దగ్గర వున్న సర్వే నెం. 491 మరియు 462 ల దగ్గర నుండి అనగా స్టేషన్ నెం.1 నుండి ప్రారంభమై దక్షిణ-పడమర దిశలో వున్న ఏత్తిరాజుపల్లి గ్రామముయొక్క సర్వే నెం.490 మరియు 493 పొలముల ఖండన రాయి దగ్గర అనగా స్టేషన్ నెం.4 వరకు వెళ్ళును.

స్టేషన్ నంబరు		మేగ్నటిక్ బేరింగు (డిగ్రీలలో)	దూరము (మీ)
నుండి	వరకు		
1	2	255	139
2	3	256.30	25
3	4	256.30	300

పడమర :- స్టేషన్ నెం.4 అనగా ఈ భాగు దక్షిణ - పడమర మూల నుండి ప్రారంభమై ఉత్తర-పడమరదిశలో 355 మేగ్నటిక్ బేరింగు కలిగి, 209 మీ ప్రయాణించి స్టేషన్ నెం.5 వరకు వెళ్ళును. అచట నుండి అనగా స్టేషన్ నెం. 5 నుండి ఉత్తర - తూర్పు దిశలో $4^{\circ} 30^1$ మేగ్నటిక్ బేరింగు కలిగి, 194 మీ ప్రయాణించి స్టేషన్ నెం. 6 వరకు వెళ్ళును. అచట నుండి అనగా స్టేషన్ నెం.6 నుండి ఉత్తర - పడమర దిశలో 356 మేగ్నటిక్ బేరింగు కలిగి, 440 మీ ప్రయాణించి స్టేషన్ నెం.7 వరకు వెళ్ళును. అచటనుండి అనగా స్టేషన్ నెం.7 నుండి ఉత్తర - పడమర దిశలో $313^{\circ} 3^1$ మేగ్నటిక్ బేరింగు కలిగి, 22 మీ ప్రయాణించి స్టేషన్ నెం.8 వరకు వెళ్ళును. అక్కడ ఈ భాగుతంగేడుపల్లి నుండి బద్వేలు-పోరుమామిళ్ళకు పోవు మేయిన్ రోడ్డును మరియు సర్వేనెం 487 మరియు 486 పొలముల యొక్క సరిహద్దులను కలియును. అచట నుండి అనగా స్టేషన్ నెం.8 నుండి ఉత్తర - పడమర దిశలో $339^{\circ} 30^1$ మేగ్నటిక్ బేరింగు కలిగి, 158 మీ. ప్రయాణించి స్టేషన్ నెం. 9 వరకు వెళ్ళును. అచట నుండి అనగా స్టేషన్ నెం.9 నుండి ఉత్తర-తూర్పు దిశలో $4^{\circ} 30^1$ మేగ్నటిక్ బేరింగు కలిగి, 240 మీ ప్రయాణించి స్టేషన్ నెం. 10 వరకు వెళ్ళును. అచటనుండి అనగా స్టేషన్ నెం.10 నుండి క్రింది అనుసూచికలో తెలిపిన విధముగా ఈ భాగు యొక్క ఉత్తర-పడమర మూల వున్న ఏత్తిరాజుపల్లి గ్రామ పొలముల యొక్క సర్వే నెం.479 మరియు 480 దగ్గర అనగా స్టేషన్ నెం. 13 వరకు వెళ్ళును. అక్కడ అనగా స్టేషన్ నెం. 13 నుండి పడమర దిశలో 170 మీ దూరములో ప్రభులవీడు గ్రామ హద్దు మరియు 479, 480 పొలముల కూడలి దగ్గర ఒక కండము రాయి ఉన్నది. (4 వ స్టేషన్ నుండి పడమర దిక్కున 230 మీ. దూరంలో తిరువెంగళాపురం, తిప్పరాజుపల్లి మరియు ఏత్తిరాజుపల్లి గ్రామముల రహదారుల కూడలిలో కండము రాయి ఉన్నది.)

స్టేషను నంబరు		మేగ్నటిక్ బేరింగు (డిగ్రీలలో)	దూరము (మీ)
నుండి	వరకు		
4	5	355	209
5	6	4.30	194
6	7	356	440
7	8	313.30	22
8	9	339.30	158
9	10	4.30	240
10	11	341.30	231
11	12	350.30	293
12	13	350.30	134

ఉత్తరము :- స్టేషను నెం.13 నుండి ప్రారంభమై ఈ బ్లాకు యొక్క ఉత్తర -తూర్పు మూల దిశగా వున్న ఏత్తిరాజుపల్లి గ్రామ పొలముల యొక్క సర్వే నెం.475 మరియు 477 కూడలి దగ్గర అనగా స్టేషన్ నెం.14 వరకు వెళ్ళును. ఇది బ్లాక్ యొక్క ఉత్తర-తూర్పు మూల.

స్టేషను నంబరు		మేగ్నటిక్ బేరింగు (డిగ్రీలలో)	దూరము (మీ)
నుండి	వరకు		
13	14	66.30	208

తూర్పు :- స్టేషన్ నెం.14 నుండి ప్రారంభమై క్రింది అనుసూచికలో తెలిపిన విధముగా మేగ్నటిక్ బేరింగులు మరియు కొలతల ప్రకారము ప్రయాణించి స్టేషన్ నెం.16 వరకు వెళ్ళును. అచట నుండి అనగా స్టేషన్ నెం.16 నుండి దక్షిణము దిశలో 180 మేగ్నటిక్ బేరింగు కలిగి, 275 మీ ప్రయాణించి స్టేషన్ నెం.17 వరకు వెళ్ళును. అచట నుండి అనగా స్టేషన్ నెం.17 నుండి దక్షిణ-తూర్పు దిశలో 176 మేగ్నటిక్ బేరింగు కలిగి, 50 మీ. ప్రయాణించి స్టేషన్ నెం. 18 వరకు వెళ్ళును. అక్కడ ఈ బ్లాకు తంగేడుపల్లి నుండి బద్వేలు - పోరుమామిళ్ళకు పోవు మేయిన్ రోడ్డును కలుస్తుంది. అచట నుండి అనగా స్టేషన్ నెం. 18 నుండి దక్షిణ - పడమర దిశలో 182 మేగ్నటిక్ బేరింగు కలిగి, 20 మీ ప్రయాణించి స్టేషన్ నెం. 19 వరకు వెళ్ళును. (ఈ రోడ్డు బ్లాకును రెండు భాగాలుగా విభజిస్తుంది) అచట నుండి అనగా స్టేషన్ నెం.19 నుండి ప్రారంభమై ఈ క్రింది అనుసూచికలో తెలిపిన విధముగా మేగ్నటిక్ బేరింగులు మరియు కొలతల ప్రకారము ప్రయాణించి స్టేషన్ నెం. 21 వరకు వెళ్ళును. అచట నుండి అనగా స్టేషన్ నెం. 21 నుండి దక్షిణ - పడమర దిశలో 182 మేగ్నటిక్ బేరింగు కలిగి, 250 మీ ప్రయాణించి స్టేషన్ నెం. 1 వరకు వెళ్ళును.

స్టేషను నెంబరు		మేగ్యుటిక్ బేరింగు (డిగ్రీలలో)	దూరము (మీ)
నుండి	వరకు		
14	15	151	318
15	16	155	350
16	17	180	275
17	18	176	50
18	19	182	20
19	20	176	100
20	21	160	610
21	1	182	250

పరిధి పూర్తి అయినది

లమూరులు:-

- 1) ఈ బ్లాకు లో స్టేషన్ నెం.17 నుండి 18 మధ్యన మరియు స్టేషన్ నెం.18 నుండి 19 మధ్యన తంగేడుపల్లి నుండి బద్వేలు - పోరుమామిళ్ళ ప్రధాన రహదారి కలదు. ఈ రహదారిలో ప్రజలు వెల్లుటకు హక్కు కలదు. ఈ రహదారి యొక్క విస్తీర్ణమును అనగా ఏత్తిరాజుపల్లె గ్రామంలోని 492/2 సర్వే నెంబరులో వున్న 1.46 ఏకరముల విస్తీర్ణమును ఈ బ్లాకు యొక్క విస్తీరణము నుండి తీసివేయడమైనది.

అశ్వినీ కుమార్ పరిద,
ప్రభుత్వ ప్రత్యేక ముఖ్య కార్యదర్శి.

---X---